

→ suspend in 50µl GAR-PE (1:80)

→ 12 BUI à 50µl G0000 → 10µl + 800µl PBS/PE
30' Ice



→ add 100µl PBS/PUS

G M00 S'

→ add 150µl PBS/PUS

G M00 S'


→ suspend in 500µl PBS/PUS



File: 3/12/96.001
Sample ID: 3/12/96.001
Gate: G1
Total Events: 1880

Log Data Units: Linear Values
Acquisition Date: 12-May-96
Gated Events: 4814
X Parameter: FL2-H FL2-Meig1 (Log)


Events	% Gated	% Total
1814	100.00	96.65
3	0.06	0.06



File: 3/12/96.002
Sample ID: 3/12/96.002
Gate: G1
Total Events: 5410

Log Data Units: Linear Values
Acquisition Date: 12-May-96
Gated Events: 5410
X Parameter: FL2-H GAR-PE (Log)


Events	% Gated	% Total
5410	100.00	98.72
8	0.11	0.11



File: 3/12/96.003
Sample ID: 3/12/96.003
Gate: G1
Total Events: 5814

Log Data Units: Linear Values
Acquisition Date: 12-May-96
Gated Events: 5814
X Parameter: FL2-H ID - GAR-PE (Log)

Events	% Gated	% Total
5814	100.00	98.54
78	1.34	1.32



File: 3/12/96.004
Sample ID: 3/12/96.004
Gate: G1
Total Events: 8391

Log Data Units: Linear Values
Acquisition Date: 12-May-96
Gated Events: 8391
X Parameter: FL2-H ID-2 - PE (Log)

Events	% Gated	% Total
8391	100.00	98.82
41	0.64	0.62

3/12-115C (1) with 1

3/12-115C (1) with 1

→ 4 difference

11.65, 11.50, 1

3/12-115C (1) with 1

→ Suspended in 50µl GAR-PE (1:80)

→ 12 Bui. a 50µl Gooch → 10µl + 800µl PBS/PUS,

30' Ice


→ add 100µl PBS/PUS

G MCO 5'

→ add 150µl PBS/PUS

G MCO 5'


Suspend in 50µl PBS/PUS



File: 3/12/96.010
Sample ID: 3/12/96.010 - GAR-PE
Gate: G1
Total Events: 3400

Log Data Units: Linear Values
Acquisition Date: 12-Mar-96
Gated Events: 3019
X Parameter: FL2-H ID-2 = PE (Log)


Events	% Gated	% Total
3019	100.00	88.80
7912	29.57	24.19



File: 3/12/96.011
Sample ID: 3/12/96.011 - GAR-PE
Gate: G1
Total Events: 7580

Log Data Units: Linear Values
Acquisition Date: 12-Mar-96
Gated Events: 7320
X Parameter: FL2-H ID-2 = PE (Log)


Events	% Gated	% Total
7320	100.00	96.56
7214	98.56	94.19



File: 3/12/96.012
Sample ID: 3/12/96.012 - GAR-PE
Gate: G1
Total Events: 7520

Log Data Units: Linear Values
Acquisition Date: 12-Mar-96
Gated Events: 7175
X Parameter: FL2-H ID-2 = PE (Log)


Events	% Gated	% Total
7175	100.00	95.41
7070	98.54	94.02



File: 3/12/96.013
Sample ID: 3/12/96.013 - GAR-PE
Gate: G1
Total Events: 4880

Log Data Units: Linear Values
Acquisition Date: 12-Mar-96
Gated Events: 4327
X Parameter: FL2-H GAR-PE (Log)

Events	% Gated	% Total
4327	100.00	88.68
207	4.78	4.19



File: 3/12/96.014
Sample ID: 3/12/96.014 - GAR-PE
Gate: G1
Total Events: 6540

Log Data Units: Linear Values
Acquisition Date: 12-Mar-96
Gated Events: 5787
X Parameter: FL2-H ID = GAR-PE (Log)

Events	% Gated	% Total
5787	100.00	88.62
5487	94.82	83.84

3TB-T13L ± with Jell.

3TB-T13L (1) with Jell

→ in difference

1:1, 1:5, 1:10

3TB-C028 (1) with Jell